

SCHEDULE 3 TO CLAUSE 32.07 RESIDENTIAL GROWTH ZONEShown on the planning scheme map as **RGZ3**.**GARDEN APARTMENT AREAS – 4 STOREY RESTRICTION****1.0****Requirements of Clause 54 and Clause 55**

	Standard	Requirement
Minimum street setback	A3	None specified
	B6	<p>Front street setback: In accordance with B6 or 5 metres, (whichever is the lesser) plus an additional 2 metres for heights above 2 storeys (6.9 metres and above).</p> <p>Side Street setback: None specified</p>
Site coverage	A5	None Specified
	B8	80 per cent
Permeability	A6	None specified
	B9	15 per cent
Landscaping	B13	<p>On sites with a frontage of less than 22 metres, a minimum of one semi-mature canopy tree within both the front and rear setbacks.</p> <p>On sites with a frontage greater than 22 metres, a minimum of two semi-mature canopy trees within both the front and rear setbacks.</p> <p>Where a 3 metre side setback is required this must include an area for deep root planting.</p> <p>A clear area of 4.5 metres x 4.5 metres is required to accommodate each semi-mature canopy tree. This may include land on an adjoining lot.</p>
Side and rear setbacks	A10	None Specified
	B17	<p>Side Setbacks</p> <p>In accordance with B17 except as follows for sites with a frontage greater than 22 metres (or 16 metres where rear or side vehicle access is possible):</p> <ul style="list-style-type: none"> ▪ Within the first 25 metres of the site as measured from the frontage, 0 metres for building heights up to 2 storeys (6.9 metres), and 3 metres for heights over 2 storeys (6.9 metres and above); and ▪ For the remaining length of the site, a minimum setback of 3 metres for building heights up to 2 storeys (6.9 metres) and a minimum setback of 6 metres for heights over 2 storeys (6.9 metres). <p>Rear Setbacks</p> <p>Minimum setback of 3 metres, plus an additional 2.5 metres for height between 3.6 metres and 8.5 metres, plus 1 metre for every 1 metre of height over 8.5 metres.</p> <p>For sites with rear lane access, the setback is as above, but is measured from the opposite boundary (i.e. the setback may include the width of the laneway).</p>
Side Setbacks	Side Setbacks	Side Setbacks
Walls on boundaries	A11	None specified

DAREBIN PLANNING SCHEME

Standard	Requirement	
B18	<p>On sites with a frontage greater than 22 metres (or 16 metres where rear or side vehicle access is possible), either:</p> <ul style="list-style-type: none"> ▪ Within the first 25 metres of the site as measured from the frontage, 20 metres or ▪ where there are existing or simultaneously constructed walls abutting the boundary on an abutting lot, the length of the existing or simultaneously constructed wall that has been approved under these provisions; <p>whichever is greater.</p> <p>On sites with a frontage less than 22 metres (or 16 metres where rear or side vehicle access is possible), the above can apply for a maximum of one side only. The maximum length of wall on boundary on the opposing side boundary is as per Standard B18.</p> <p>Within the first 25 metres of the site as measured from the frontage, the height of a new wall constructed on or within 200 millimetres of a side or rear boundary should not exceed 6.9 metres.</p> <p>Unless a 3 metre side setback is required, the height of any boundary wall beyond 25 metres of the site's frontage should accord with Standard B18.</p>	
Private open space	A17	None specified
	B28	<p>An area of 25 square metres, with a minimum dimension of 3 metres and convenient access from a living room, or</p> <p>A balcony of 8 square metres with a minimum width of 1.6 metres and convenient access from a living room, or</p> <p>A roof-top area of 10 square metres with a minimum width of 2 metres and convenient access from a living room.</p>
Front fence height	A20	None specified
	B32	A maximum of 1.5 metres with at least 25% visual transparency above 1.2 metres.

2.0

15/10/2015
C147

Maximum building height requirement for a dwelling or residential building

A building used as a dwelling or a residential building must not exceed a height of 4 storeys (13.5 metres).

This does not apply to:

- An extension of an existing building or the construction of a new building that exceeds the specified building height which does not exceed the height of immediately adjacent buildings facing the same street.
- The rebuilding of a lawful building or works which have been damaged or destroyed.

A lift overrun, plant and services that are appropriately screened and other building appurtenances may exceed the mandatory height requirements by no more than 1.2 metres.

In areas subject to the Special Building Overlay, the maximum building height may be exceeded by no more than the minimum additional building height required by the overlay provisions.

3.0

15/10/2015
C147

Application requirements

An application construct more than two dwellings on a lot must include the following information, as appropriate, to the satisfaction of the responsible authority:

- Landscape concept design.
- Urban design context report and design response.
- Sustainability assessment.

- Acoustic assessment for development sites that adjoin a Road Zone, Category 1 (RDZ1), land in Schedule 4 to the Public Use Zone (PUZ4) or land containing non-residential uses with the potential to cause amenity impacts as a result of noise
- Waste management plan.

4.0

09/02/2017
C153

Decision guidelines

The following decision guidelines apply to an application for a permit under clause 32.07, in addition to those specified in clause 32.07 and elsewhere in the scheme:

- Whether the development seeks to achieve the development outcomes encouraged through the *Residential Built Form Guidelines, 2014*.
- Whether the development incorporates design measures to maximise rear setbacks from the secluded private open space of adjoining properties in the Neighbourhood and General Residential Zones.
- The potential and ability to consolidate lots to create larger development sites.