

19/01/2006  
VC37

## **SCHEDULE 9 TO THE DESIGN AND DEVELOPMENT OVERLAY**

Shown on the planning scheme map as **DDO9**.

### **NOISE AMENITY AREA**

#### **1.0**

19/01/2006  
VC37

#### **Design Objectives**

To ensure that development for residential and other sensitive uses incorporate appropriate acoustic attenuation measures in its design to have regard to nearby industrial activity.

#### **2.0**

19/01/2006  
VC37

#### **Buildings and Works**

No permit is required for a building or works unless it is associated with a use listed below.

- Accommodation
- Child care centre
- Display Home
- Education centre
- Funeral Parlour
- Hospital
- Library
- Office

#### **Building design**

- Development should avoid using external balconies, recreation and courtyard areas facing existing industrial uses.
- Development should avoid openable windows in walls facing existing industrial uses.
- Development should provide acoustic insulation for habitable rooms that may be affected by noise emanating from existing industrial uses.

#### **Application Requirements**

All planning permit applications must be accompanied by a design response report demonstrating how the proposed building or works meets the requirements of this Schedule.

#### **3.0**

19/01/2006  
VC37

#### **Decision guidelines**

Before deciding on an application, the Responsible Authority must consider as appropriate:

- How the design of the development respects the operations of the surrounding land use.
- The building design and materials to be used to buffer the development against background noise.