

07/12/2020
C396ggee**SCHEDULE 9 TO CLAUSE 43.02 DESIGN AND DEVELOPMENT OVERLAY**

Shown on the planning scheme map as **DDO9**.

AVILA ROAD, CURLEWIS**1.0**07/12/2020
C396ggee**Design objectives**

To facilitate orderly development of the subdivision.

To provide for the conservation, maintenance and enhancement of the coastal landscape by ensuring that any development is compatible with the local environment.

2.007/12/2020
C396ggee**Buildings and works**

A permit is required to construct an outdoor swimming pool associated with a dwelling.

All buildings and works should be constructed and contained within the building envelopes marked on the Avila Road Restructure Diagram.

Buildings and works should meet the following requirements:

- Only one dwelling per lot may be constructed.
- Building height should not exceed 7.5 metres above natural ground level.
- Roof slopes should be pitched between 20 degrees and 35 degrees.
- Garages and storage areas should be enclosed.
- Driveways should be constructed so as to resist erosion.
- Existing vegetation should be retained where this is of environmental or visual significance or is important in preventing erosion and protecting dwellings from wind.

A permit is not required to construct a fence less than 1.5 metres in height.

Landscaping

A landscaping plan must be approved by the responsible authority showing appropriate planting which meets the following requirements:

- Protects the dwelling from prevailing winds.
- Stabilises erosion-prone soils.
- Reduces the visual impact of buildings from the water or beach.
- Provides a buffer strip of vegetation in the vicinity of water courses, roads and property boundaries.

Building Materials

Buildings materials should be able to withstand sand, salt and wind buffeting and should blend with the natural colours and textures of the earth, sea, cliffs and trees.

In considering applications the responsible authority will give preference to buildings that use the following building materials:

- Timbers stained (or oiled) in natural colours and timbers such as treated pine, cedar or redwood. These timbers should be used as planks or boards.
- Light brown, buff or oatmeal coloured bricks (standard or tumbled).
- Sandstone, limestone or basalt used either structurally in blocks or as a veneer.
- Cement sheets or planks in colours to reflect the surrounding vegetation.
- Galvanised steel, colourbond and terracotta tiles in appropriate buff colours for roofing.

3.0

07/12/2020
C396ggee

Subdivision

A permit may be granted to subdivide land in accordance with the Avila Road Restructure Area Diagram. Further subdivision of the land within this Overlay is strongly discouraged.

4.0

07/12/2020
C396ggee

Signs

None specified.

5.0

07/12/2020
C396ggee

Application requirements

None specified.

6.0

07/12/2020
C396ggee

Decision guidelines

The following decision guidelines apply to an application for a permit under Clause 43.02, in addition to those specified in Clause 43.02 and elsewhere in the scheme which must be considered, as appropriate, by the responsible authority:

- Whether the natural environment, including any important landscape characteristics, will be preserved.
- Whether the shape and height of any buildings or extensions is in keeping with the natural landscape.
- Whether all buildings and structures on the lot are clustered so as to reduce visual impact.
- Whether new ancillary buildings or structures match existing buildings.
- Whether the orientation of a proposed dwelling will provide for energy efficiency.
- Whether the planting of vegetation indigenous to the area is being proposed.

Map 1 to Schedule 9 to Clause 43.02

Road Restructure Diagram



NOTE:
Lot sizes will be subject to final survey

 **BUILDING ENVELOPES**

