

03/10/2017
GC13

SCHEDULE 1 TO CLAUSE 44.06 BUSHFIRE MANAGEMENT OVERLAY

Shown on the planning scheme map as **BMO1**.

MOUNT MACEDON, MACEDON, WOODEND BAL-12.5 AREAS

1.0

03/10/2017
GC13

Statement of the bushfire management objectives to be achieved

To specify bushfire protection measures to construct or extend one dwelling on a lot.

To specify referral requirements for applications to construct or extend one dwelling on a lot.

Application

The application to construct or extend one dwelling on a lot must include all the requirements set out in this schedule.

Clause 52.47 applies in all other circumstances.

2.0

03/10/2017
GC13

Permit requirement

None specified.

3.0

03/10/2017
GC13

Application requirements

An application must be accompanied by a bushfire management plan that:

- Shows all of the required bushfire protection measures specified in this schedule,
- Includes written conditions that implement the required bushfire protection measures,
- Identifies water supply including the location of any fire hydrant within 120 metres of the rear of the building, and
- Details vehicle access.

4.0

03/10/2017
GC13

Requirements to be met

The following requirements apply to an application to construct a single dwelling on a lot:

- The dwelling must be constructed to BAL-12.5
- Defendable space is to be provided for a distance of 30 metres around the dwelling or to the property boundary, whichever is the lesser and maintained in accordance with the vegetation management requirements of Clause 52.47 with the following variation:
 - The canopy of trees must be separated by at least 5 metres.
- A static water supply must be provided in accordance with Clause 52.47, and
- Vehicle access must be provided in accordance with Clause 52.47.

If these requirements are not met, the requirements of Clause 52.47 apply.

5.0

03/10/2017
GC13

Substitute approved measures for Clause 52.47

None specified.

6.0

03/10/2017
GC13

Additional alternative measures for Clause 52.47

None specified.

7.0

03/10/2017
GC13

Mandatory Condition

An application must include the mandatory conditions as specified in Clause 44.06-4.

8.0

03/10/2017
GC13

Referral of application not required

An application for a single dwelling on a lot meeting all of the required bushfire protection measures is not required to be referred under Section 55 of the Act to the person or body specified as the referral authority in Clause 66.03.

9.0

03/10/2017
GC13

Notice and review

None specified.

10.0

03/10/2017
GC13

Decision guidelines

Before deciding on an application, in addition to the decision guidelines in Clause 65, the responsible authority must consider whether all of the bushfire protection measures in this schedule have been met.