

27/05/2019  
C131surf**SCHEDULE 11 TO CLAUSE 43.02 DESIGN AND DEVELOPMENT OVERLAY**

Shown on the planning scheme map as **DDO11**.

**AIREYS INLET TO EASTERN VIEW HINTERLAND****1.0**08/03/2018  
C96**Design objectives**

To preserve scenic landscapes and enhance the low scale, low density, vegetated character from Aireys Inlet to Eastern View by:

- Ensuring that development presents an inconspicuous profile against the landscape setting, allowing the landscape to remain the key feature of the settlements, particularly where the vegetation canopy height is low and/or a site is prominently located.
- Ensuring that buildings are sited and designed to avoid protruding over or above ridgelines or form a silhouette against the sky when viewed from the Great Ocean Road or any other significant viewing point.
- Retaining a sense of openness between properties by encouraging the use of open style fencing and vegetated buffers in preference to solid paling fences.
- Encouraging building design that is site responsive and is stepped down the slope, following the natural contour of the land, avoiding the need for cut or fill. Ensuring that the scale, setbacks, site coverage and overall form of development respects the low scale, vegetated character of the settlements.
- Ensuring that buildings are sited and designed to avoid and/or minimise removal of native vegetation.
- Retaining the large lot size subdivision pattern that enhances significant open landscapes
- Providing adequate building setbacks in order to retain space around buildings and to sustain landscaping and vegetative screening set back from dwellings to avoid fire risks but which better integrates built form within the landscape.
- Encouraging the use of warm, natural and earthy colour schemes and roofs that are clad in a non-reflective material and colour to enable buildings to blend with the natural surroundings.
- Discouraging the establishment of private recreational structures such as tennis courts and swimming pools and the illumination of existing structures.
- Encouraging accessways that have an informal vegetated appearance

To achieve a reasonable sharing of views of significant landscape features, including views of the ocean and coastal shoreline, the Split Point Lighthouse, the Painkalac valley and natural bushland in the hinterland.

To preserve the night sky ambience of the hinterland.

**2.0**27/05/2019  
C131surf**Buildings and works**

A permit is required to:

- Construct an outdoor swimming pool associated with a dwelling.
- Construct a fence, other than a post and wire fence that is not more than 1.5 metres in height and contains a 200 mm clearance from ground level to enable the movement of small indigenous fauna.

The following buildings and works requirements apply to an application to construct a building or construct or carry out works:

**Building height**

Building height should not exceed 7.5 metres.

### **Building setbacks**

On land within the Low Density Residential Zone a building must be set back at least:

- 9 metres from a street boundary.
- 3 metres from a side or rear boundary.

### **Fences**

Front fencing must be of post and wire construction.

Any solid side or rear boundary fence must be:

- Sited behind the front wall of an existing or proposed building; and
- Not more than 1.8 metres in height.

Building setback and fences requirements cannot be varied with a permit.

## **3.0**

13/10/2016  
C110

### **Subdivision**

#### **Exemption from notice and review**

An application to subdivide land into lots each containing an existing dwelling or car parking space is exempt from the notice requirements of Section 52(1)(a), (b) and (d), the decision requirements of Section 64(1), (2) and (3) and the review rights of Section 82(1) of the Act.

## **4.0**

27/05/2019  
C131surf

### **Signs**

Sign requirements are at Clause 52.05. All land is in Category 4 Sensitive areas.

## **5.0**

27/05/2019  
C131surf

### **Application requirements**

None specified.

## **6.0**

27/05/2019  
C131surf

### **Decision guidelines**

The following decision guidelines apply to an application for a permit under Clause 43.02, in addition to those specified in Clause 43.02 and elsewhere in the scheme which must be considered, as appropriate, by the responsible authority:

#### **Building height**

- Whether a lower building height is required in order to meet the design objectives of this schedule, particularly where a building would protrude above the tree canopy.
- Whether a greater building height on steeply sloping land will be in keeping with the landscape character of the area having regard to the proportioning and bulk of the building.

#### **Design and siting**

- Whether the scale, setbacks, site coverage, design, siting and overall form of development is consistent with the low scale, low density, vegetated character of the hinterland.
- Whether the design and siting of proposed buildings and works would retain existing vegetation and provide adequate space on site for the planting of new vegetation.

#### **Fencing**

- Whether solid fencing has been used sparingly and only to screen private open space or a habitable room window where satisfactory screening is not or cannot be provided by vegetation.

**Recreational structures**

- Whether swimming pools are integrated with the design of the dwelling and meet the objectives of this schedule.
- Whether private recreational structures such as tennis courts and swimming pools would compromise long term enhancement of the vegetation cover.

**Subdivision**

- Whether the subdivision has been designed to avoid or minimise the removal of native vegetation.
- Whether the siting and design of new lots ensure future dwellings will not be visually prominent when viewed from the Great Ocean Road or any other significant viewing point.
- Whether the subdivision will adversely affect the environmental values of adjoining or nearby public land.
- Whether roads, accessways and footpaths within a subdivision have been designed to have an informal appearance, with an emphasis on retaining vegetation within road verges and alternatives to concrete kerb and channel drainage and standard bitumen (e.g. gravel or exposed aggregate).
- Whether the use of street lights has been limited to a single light at an intersection.